




HEAT&GLO™
Where everything comes together



Soho
Balanced Flue Gas Fireplace



- A. Optional black onyx pebbles
- B. Optional multi-colored pebbles
- C. Black onyx pebbles and reflective panels
- D. Multi-colored pebbles and reflective panels

Top photo: Soho shown with optional Studio black mesh front and standard log set


Cover photo: Soho shown with optional Studio brushed stainless steel glass front and black onyx pebbles

Redefine the way you think about fireplaces—where they should be located and how they should look. The small, square shape and shallow depth of Soho allows for creative installations as big as your imagination. The clean design merges simplicity and elegance.

- Define your fire with a black, brushed stainless steel or glass facade
- Traditional logs, modern black onyx or multi-colored pebbles allow you to create the combination of art and fire to accent your décor



Traditional black mesh front with standard logs



Studio black mesh front with standard logs



Studio black mesh front with horizontal stainless overlay and optional multi-colored pebbles



Studio brushed stainless steel mesh front with optional black onyx pebbles



Studio brushed stainless steel glass front with standard logs



Detail of Studio brushed stainless steel glass front

Soho

The fusion of technology, innovation and design

Deluxe Control




REM-DLX-CE

Controls the temperature of your room by turning the fireplace on and off when it reaches a set temperature.

- Manual or thermostat mode
- Program desired temperature
- Digital display
- Celsius or Fahrenheit readings
- Timer
- Time display
- Child safety lock
- Includes wall bracket

Soho Specifications

MODEL	HEIGHT		FRONT WIDTH		BACK WIDTH		DEPTH		VIEWING AREA	mJh INPUT		kWh OUTPUT	
SOHO-N-CE	Actual	Framing	Actual	Framing	Actual	Framing	Actual	Framing	490 x 450	NG	14.4	NG	2.9
SOHO-P-CE	945	1118	740	752	586	752	292	292		LPG	12.6	LPG	2.7
SOHO-B-CE										BG	12.6	BG	2.7



Dimensions above are in millimeters and for reference only. We recommend measuring individual units at installation. Assumes the use of 13mm gyprock.

Refer to installation manual for detailed specifications on installing this product. Heat & Glo reserves the right to update units periodically. The flame and ember appearance may vary based on the type of fuel burned and the venting configuration used. Photos in this brochure may vary in color and dimension [size] from the actual product.

Soho Features

- IntelliFire ignition system provides fuel savings and easy operation
- Top venting allows installation flexibility
- Zero clearance provides ease of installation and cost savings
- Heat management system allows you to adjust the flame height and heat output up to 40%
- Realistic ceramic fiber campfire style logs (or optional pebbles)
- Balanced flue technology provides a sealed combustion chamber, maintaining indoor air quality
- Energy saving efficiency up to 77% with the authenticity of a traditional fire
- Multifunction remote offers true convenience, providing temperature, flame height and start time control
- Ceramic glass
- 170mm top venting
- CE approved

IntelliFire Ignition System

Our state-of-the-art ignition system eliminates a continuously burning pilot light and does not require electricity, reducing gas consumption and lowering operating costs. Never again will you manually light a pilot or bend down to start your fireplace.


For complete information and valuable assistance on this model, please contact us at:

Convenient Operation

Operate the fireplace, adjust the flame height and view the current room temperature all from the comfort of your chair. Whether you wish to have the fire greet you in the morning for that first cup of coffee or warm the room prior to your arrival home at night, simply program the start time and temperature—the Deluxe remote will do the rest. To protect the little ones, each remote is equipped with a child safety start and a wall bracket should you wish to locate the remote out of reach.

Balanced Flue Gas Fireplace

A completely sealed system, Heat & Glo balanced flue gas fireplaces draw 100% of combustion air from the outdoors and exhaust all combustion by-products back outside, with no affect on indoor air quality. In addition, cold air drafts are eliminated and heat output is maximized. No electricity, power venting or fan are required to operate, eliminating the need for a conventional chimney and allowing for installation in nearly any room of the home.



HEAT & GLO

www.heatnglo.com/products/global/index.asp

HNG-00931-0207